


Metal Top - MX90

Modern aesthetical style, all-metal strong structure, pre-assembled aluminium LNB arm
Linea moderna, struttura interamente metallica, braccetto in alluminio pre-assemblato



Alu LNB Holder
Porta LNB in alluminio



Multifeed bracket (3°÷14°)
Multifeed regolabile (3°÷14°)




Multifeed bracket (3°÷24°)
Multifeed regolabile (3°÷24°)



Easy and fast assembly thanks to the practical reflector-hanging system and the pre-assembled LNB arm

Assemblaggio semplice e veloce grazie al pratico sistema di aggancio del riflettore ed al braccetto pre-assemblato



DPT
Design Production Technology

DPTech S.r.l.

Plants - Stabilimento e Amministrazione
Via Veneto, 18 - 36027 Rosà (VI) - ITALY

tel. +39 0424 539801

www.dp-tech.eu
info@dp-tech.eu

made in Italy

SPECIFICATIONS / SPECIFICHE

Mechanical / Meccaniche

Reflector Riflettore	Material Materiale	Steel/Aluminum Acciaio/Alluminio	Metal accessory Accessori metallici	Material Materiale	Steel/Aluminum Acciaio/Alluminio
	Dim. (HxW) Dim. (HxL)	90cmx83cm		Coating Rivestimento	Zinc plating/Powder coating Zincatura/Vern. a polvere
	Surface Accuracy Accuratezza superficie	0,7mm (rms)	Plastic accessory Accessori in plastica	Material Materiale	PP + f.g. UV stabilized PP + f.v. stabilizzato UV
	Coating Rivestimento	Powder coating Vern. a polvere		Hardware set Set viteria	Nr. of comp. Nr. comp.
Windload Carico vento	50 Km/h	10Kg	Standard list Elenco norme		Coating Rivestimento
	100 Km/h	40Kg		ETSI EN 300 421 DVB-S ETSI TR 102 376 DVB-S2 RoHS 2011/65/EU Standard IEEE Std 145-1993 ANSI/IEEE Std 149-1979 CEI-IEC 1114-2	
	150 Km/h	90Kg			
LNB Arm Braccetto	Material Materiale	Aluminum Alluminio			
	Section Sezione	50mmx20mm			


Functional / Funzionali

Elevation Range Range elevazione	0-90°	Packaging	Single Package/Industrial Imballo Singolo/Industriale
Elev. range with passing pole Range elev. con palo passante	3-44°	Multifeed	Dual Feed 6° Multi feed
Pole diameter Diametro palo	32-60 mm	Pole fixing Fissaggio a palo	Double Doppio
LNB	23-40 mm	Logo (Max)	350x150 mm 4 colours
Colours Colore	White RAL7035 – Anthracite RAL7012 – Red RAL8012 Bianco RAL7035 – Antracite RAL7012 – Rosso RAL8012		


Electrical / Elettriche

Gain/Efficiency / Guadagno/Efficienza

Gain / Guadagno




Efficiency / Efficienza



Radiation Patterns / Diagrammi di irradiazione

Radiation Patterns (Horizontal Plane)



Radiation Patterns (Vertical Plane)

